

**Sughrue**

SUGHRUE MION, PLLC

**RECEIVED
CENTRAL FAX CENTER****OCT 26 2005**2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213T 202.293.7060
F 202.293.7860

www.sughrue.com

FAX

Date October 26, 2005

To Examiner Yelena G. GAKH

Of PTO Group Art Unit 1743

Fax 571-273-8300

From Sheldon I. Landsman

Subject Amendment Under 37 C.F.R. § 1.111

Our Ref Q57601 Appln No 09/732,712

Conf No 2910 Inventors Taizou ITOU, et al.

Pages 21 (including cover sheet)

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US.

This fax filing includes:

1. This cover sheet
2. Amendment Under 37 C.F.R. § 1.111
3. Submission of Drawings (with 1 sheet of drawing)

CERTIFICATION OF FACSIMILE TRANSMISSION

Sir:

I hereby certify that the above identified correspondence is being facsimile transmitted to Examiner Yelena G. GAKH at the Patent and Trademark Office on October 26, 2005 at 571-273-8300.

Respectfully submitted,

Sheldon I. Landsman
Sheldon I. Landsman

RECEIVED
CENTRAL FAX CENTER

002/021

BEST AVAILABLE COPY

OCT 26 2005

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q57601

Taizou ITOU, et al.

Appln. No.: 09/732,712

Group Art Unit: 1743

Confirmation No.: 2910

Examiner: Yelena G. GAKH

Filed: December 11, 2000

For: METHOD FOR MEASURING WATER CONCENTRATION IN AMMONIA

AMENDMENT UNDER 37 C.F.R. § 1.111

MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated July 26, 2005, please amend the above-identified application as follows on the accompanying pages.

TABLE OF CONTENTS

AMENDMENTS TO THE SPECIFICATION.....	2
AMENDMENTS TO THE CLAIMS	6
AMENDMENTS TO THE DRAWINGS.....	11
REMARKS	12